Application/Control Number: 10/510,915 Page 2

Art Unit: 1791

## EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes
and/or additions be unacceptable to applicant, an amendment may be filed as provided
by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be
submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Richard P. Bauer on 8/31/09.

The application has been amended as follows:

Claim 67 has been amended as follows:

67. (Currently amended) The device according to Claim 65 66, wherein the seal is configured for a round end of the mandrel for a partial remolding of the preform.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Robert B. Davis whose telephone number is 571-272-1129. The examiner can normally be reached on Monday-Friday 9-5:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Yogendra Gupta can be reached on 571-272-1316. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/510,915 Page 3

Art Unit: 1791

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Robert B. Davis/ Primary Examiner, Art Unit 1791 8/31/09